

# Workshop: Mosaik legen

Instructions No. 229

Difficulty: Advanced 🍴🍴🍴🍴

Laying mosaics is an ancient method for the impressive design of surfaces. With a little practice you can lay great pictures, ornaments and even lettering on wood, metal, glass and many other surfaces. Whether glass mosaic stones, ceramic minis or spherical muggle stones, the **mosaic technique** is always the same. Learn here how it works.

## 1. Mosaic

Spread a not too large area of the pre-drawn motif evenly with mounting adhesive.

Use the tile tongs to break off pieces that fit exactly and lay them with approx. 1 mm wide joints.

**Tip:** The stones can also be painted individually with assembly adhesive and then laid. Especially small stones stick better this way.



## 2. Joint Filler flood in

stir Joint Filler into the appropriate amount of water (please follow the product instructions).

**Tip:** It must have the consistency of firm cake dough for processing. work Joint Filler into the mosaic with a soft brush until all the joints are evenly filled.



## 2. Finish the mosaic

As soon as the Joint Filler has dried, carefully wipe the mosaic with a damp sponge. Let it dry for 24 hours, then wipe the mosaic again with a damp cloth and polish it with a soft cloth.



Must Have



## VBS Mosaic-Joint Filler, White

● **4,99 €** (1 kg = 14,26 €)

[Item details](#)

Quantity:



1



Add to  
shopping  
cart

### Article information:

Article number	Article name	Qty
430869	Glass-Mosaic stones "Colourful mix"	1
430821	Soft glass-Mosaic stones, "Colourful mix", 500 g	1
550505-14	VBS Bristle brushes "Nature"Size 14	1
810401	Mixing cup made of rubber	1
130370	Mosaic tongs	1
330350	VBS Painting sponges, 3 pieces	1
661140	VBS Wooden sticks "Nature"	1
118026-01	Transparent mosaic glue50 g	1
465755-01	VBS Mosaic-Joint FillerWhite	1